

1/6




FIG. 1




FIG. 2

3/6




FIG. 3

4/6




FIG. 4

5/6




FIG. 5

6/6

TYPE: SUBTYPE	ADDRESS MATCHING	SELF-UNICAST (MATCH STATION ADDRESS)				SMUL	OMUL	BROD	O-UNI
		SEND NORMAL ACK	GEN RxEnd INTERRUPT TO	TRANSFER TO EXTERNAL MEM	STORE INTO SNIFFER MEMORY				
	FRAME NAME								
00,0000	ASSOCIATION REQUEST	X	X	X		0	0	0	X
00,0001	ASSOCIATION RESPONSE	X	X	X		0	0	0	X
00,0010	REASSOCIATION REQUEST	X	X	X		0	0	0	X
00,0011	REASSOCIATION RESPONSE	X	X	X		0	0	0	X
00,0100	PROBE REQUEST	X	X	X		Rxint	0	Rxint	X
00,0101	PROBE RESPONSE	X	X	X		0	0	0	X
00,1000	BEACON	0	0	0		0	0	C1	0
00,1001	ATIM	X	X	X		Rxint	uNAV	Rxint	X
00,1010	DISASSOCIATION	X	X	X		Rxint	uNAV	Rxint	X
00,1011	AUTHENTICATION	X	X	X		0	0	0	X
00,1100	DEAUTHENTICATION	X	X	X		0	0	0	X
00,1101	ACTION	X	X	X		0	0	0	X
01,0100	RESERVATION REQUEST	X	X	X	C2				0
01,0110	CONTENTION CONTROL	X	X	X	C2				0
01,1000	BURST ACK REQUEST		X	X		0	0	0	X
01,1001	BURST ACK	0	X	X		0	0	0	X
01,1010	PS-POLL	X	X	X		0	0	0	0
01,1011	RTS	0	0	X	C3	0	0	0	X
01,1100	CTS	0	0	X	C4	0	0	0	X
01,1101	ACK	0	0	X	C5	0	0	0	X
01,1110	CF-END	0	0	X	C6	0	0	uNAV	0
01,1111	CF-END + CF-ACK	0	0	X	C6	0	0	uNAV	0
10,0000	DATA	X	X	X		X	Rxint	uNAV	Rxint
10,0001	DATA + CF-ACK	X	X			0	0	0	X
10,0010	DATA + CF-POLL	X	X			0	0	0	X
10,0011	DATA + CF-ACK + CF-POLL	X	X			0	0	0	X
10,0100	NULL					0	0	0	X
10,0101	CF-ACK (NO DATA)					0	0	0	X
10,0110	CF-POLL (NO DATA)					0	0	0	X
10,0111	CF-ACK + CF-POLL (NO DATA)					0	0	0	X
10,1000	QOS DATA	X	X	X	C8	X	C9	uNAV	C9
10,1001	QOS DATA + CF-ACK	X	X	X	C10	X	0	0	0
10,1010	QOS DATA + CF-POLL	X	X	X	C11	X	0	0	0
10,1011	QOS DATA + CF-ACK + CF-POLL	X	X	X	C11	X	0	0	0
10,1100	QOS NULL	X		X		0	0	0	X
10,1101	QOS CF-ACK (NO DATA)	0		X	C5	0	0	0	X
10,1110	QOS CF-POLL	X		X	C11	0	0	0	X
10,1111	QOS CF-ACK + CF-POLL	X		X	C11	0	0	0	X+C7

FIG. 6